




Tractor Linkage Parts

Imported Products Catalog



1015 N. Main St. — Osceola, Iowa 50213
Phone: 641-342-2103 Fax: 641-342-3222
On the Web at www.millerproductsco.com



Meeting your needs...

Since our beginning in 1936, we have strived to meet the total needs of our customers.

As costs of domestic goods continue to sky rocket, we are working diligently to maximize efficiency and maintain a competitive price of the goods we provide to both our catalog and contract customers. We have always prided ourselves on the level of customer service we provide to the customers of Miller Products Co. From the time your order is placed we work expeditiously to insure you receive your parts as soon as possible.

In an effort to lower prices on our tractor linkage parts we have began importing parts offshore for distribution from our location. We will continue to offer all product lines insuring the customer has all the options available to them at all times.

At Miller Products Co. the customers needs come first. We want to serve you in all areas—contract manufacturing, non-threaded pins, and now economical Tractor Linkage Parts. Your one stop shop.

Please Note—Due to the constraints of importing goods from overseas suppliers, we will do our best to have these items available when you need them. No guarantees will be implied with regards to availability or price. Prices subject to change without notice. No Blanket Orders.

1015 N. Main St.—Osceola, Iowa 50213
Phone: 641-342-2103 Fax: 641-342-3222
On the Web at www.millerproductscsco.com



Warehouse/Storage Facility

Capabilities

40,000 square foot facility
1/8" to 3-1/2" diameter capabilities
Special pins up to 4' in length in selected diameters

Primary Operations

CNC, single spindle & multiple spindle screw machines

Complete Secondary Operation

- Drilling
- Threading
- Milling
- Centerless grinding
- Broaching
- Knurling
- Heat treating available
- In house Rohs compliant zinc electroplating (yellow & clear) with hydrogen embrittlement relief
- Deburring
- Degreasing
- Bar coding
- Short & long runs

Value Added

- Weldments
- Limited Prototyping
- Assembly
- Packaging
- Inventory

Materials

- Carbon steel
- Aluminum
- Alloy Steel
- Brass
- Stainless Steel

1015 N. Main St.—Osceola, Iowa 50213
Phone: 641-342-2103 Fax: 641-342-3222
On the Web at www.millerproductscsco.com



Hitch Pins

- C-1144 Stress-proof Steel
- Double heat-treated
- Black powder-coated enamel
- Red Vinyl dipped handle
- Supplied with hair pin clip

Part Number	Diameter	Usable Length	Price
I12HD	1/2"	4"	\$ 2.16
I58HD	5/8"	4-1/2"	\$ 2.26
I586HD	5/8"	6"	\$ 2.43
I34HD	3/4"	4-1/2"	\$ 2.53
I3465HD	3/4"	6-1/2"	\$ 2.85
I78HD	7/8"	4-1/2"	\$ 3.11
I7865HD	7/8"	6-1/2"	\$ 3.54
I100HD	1"	4-1/2"	\$ 3.86
I1065HD	1"	6-1/2"	\$ 4.62
I1187HD	1-1/8"	7"	\$ 6.49
I1585HD	1-1/2"	8-1/2"	\$ 12.18



Set Collars

- Carbon Steel
- Zinc plated finish
- Tapered locking Set Screw
- Size Stamped on the side

Part Number	ID Diameter	OD Diameter	Thickness	Price
I3/8SC	3/8"	3/4"	3/8"	\$ 0.48
I1/2SC	1/2"	1"	7/16"	\$ 0.53
I5/8SC	5/8"	1-1/8"	1/2"	\$ 0.59
I3/4SC	3/4"	1-1/4"	9/16"	\$ 0.75
I7/8SC	7/8"	1-1/2"	9/16"	\$ 0.79
I1SC	1"	1-5/8"	9/16"	\$ 0.84
I1-1/4SC	1-1/4"	2"	11/16"	\$ 1.29
I1-1/2SC	1-1/2"	2-1/4"	3/4"	\$ 1.58

New Product Offerings



Forged Top Links

- Quality Forged Top Links
- Available in Category 0, 1, 1&2 combination, and 2
- Yellow Zinc Dichromate plated

Part Number	Cat.	Threads	Pin Hole Size	Body Length	Closed Length	Open Length	Weight (lbs.)	Price
ITL011	0	3/4" NC	5/8"	7-5/8"	11"	16"	2.5	\$13.29
ITL013	0	3/4" NC	5/8"	9-1/2"	13"	18"	2.7	\$13.68
ITL117	1	1-1/8" NC	3/4"	13-1/4"	17"	26"	7.4	\$19.30
ITL121	1	1-1/8" NC	3/4"	16"	21"	31"	7.6	\$13.60
ITL125	1	1-1/8" NC	3/4"	20"	25"	35"	9.1	\$18.49
ITL129	1	1-1/8" NC	3/4"	24"	29"	39"	8.9	\$28.35
ITL1-221	1 & 2	1-1/8" NC	3/4" & 1"	16"	21"	32"	9.1	\$21.70
ITL220	2	1-1/8" NC	1"	15"	20"	34"	10	\$17.99
ITL221	2	1-1/8" NC	1"	16"	21"	31"	10	\$18.77
ITL225	2	1-1/8" NC	1"	20"	25"	37"	10.5	\$23.09
ITL223	2	1-1/4" NC	1"	16"	23"	32"	12	\$38.94
ITL227	2	1-1/4" NC	1"	20"	27"	39"	12.6	\$61.42



- Carbon Steel
- Yellow Zinc Dichromate plated finish

Top Link Pins

Part Number	Category	Diameter	Usable Length	Overall Length	Weight (lbs.)	Price
ITLP03	0	5/8"	3"	4-7/16"	0.4	\$ 0.80
ITLP1275	1	3/4"	2-3/4"	4-1/2"	0.5	\$ 0.76
ITLP1387	1	3/4"	3-7/8"	5-1/2"	0.6	\$ 0.87
ITLP1475	1	3/4"	4-3/4"	6-3/8"	0.8	\$ 1.33
ITLP23	2	1"	3"	4-3/4"	1.1	\$ 2.04
ITLP2356	2	1"	3-9/16"	5-1/4"	1.2	\$ 1.77
ITLP2437	2	1"	4-3/8"	6"	1.3	\$ 1.82
ITLP2537	2	1"	5-3/8"	7-1/16"	1.5	\$ 2.46
ITLP3462	3	1-1/4"	4-5/8"	6-1/2"	2.1	\$ 3.54



- Carbon Steel
- Yellow Zinc Dichromate plated finish

Top Link & Lift Arm Bushings

Part Number	Cat.	Outside Diameter	Inside Diameter	Length	Weight (lbs.)	Price
ITLB34-1	1-2	1"	3/4"	1-15/16"	.18	\$ 0.54
ITLB2-3	2-3	1-1/4"	1"	1-15/16"	.24	\$ 0.80
IAB1-2	1-2	1-1/8"	7/8"	1-3/4"	.19	\$ 0.53
IAB2-3	2-3	1-7/16"	1-1/8"	1-3/4"	.28	\$ 0.88

1015 N. Main St.—Osceola, Iowa 50213
 Phone: 641-342-2103 Fax: 641-342-3222
 On the Web at www.millerproductscs.com



- Forged C-101 steel pin
- Yellow Zinc Dichromate plated finish

* Denotes with Chain Lanyard Attached
 ** Also available in Black enamel

Quick Pins

Part Number	Diameter	Usable Length	Overall Length	Weight (lbs.)	Price
316-10QP	3/16"	1"	1-3/8"	.03	\$ 0.24
316-10QPC*	3/16"	1-1/4"	1-3/4"	.07	\$ 0.70
250-14QP	1/4"	1-1/4"	1-3/4"	.06	\$ 0.18
250-14QPC*	1/4"	1-1/4"	1-3/4"	.10	\$ 0.76
516-19QP	5/16"	1-1/4"	1-3/4"	.11	\$ 0.26
516-19QPC*	5/16"	1-1/4"	1-3/4"	.07	\$ 0.82
716-14QP	7/16"	1-1/4"	1-3/4"	.11	\$ 0.19
716-14QPC*	7/16"	1-1/4"	1-3/4"	.18	\$ 0.89
716-14QPHD**	7/16"	1-3/4"	2"	.13	\$ 0.41



- Carbon Steel
- Yellow Zinc Dichromate plated finish
- Adjustable

Lift Arm Pins

Part Number	Category	Diameter	Thread Diameter	Overall Length	Weight (lbs.)	Price
ILA-0	0	5/8"	5/8-18	4"	.58	\$ 1.11
ILA-1	1	7/8"	7/8-14	5-1/4"	1.16	\$ 1.23
ILA1-2	1 to 2	1-1/8"	7/8-14	5-1/4"	1.41	\$ 2.76
ILA-2	2	1-1/8"	1-1/8-12	6-1/4"	2.25	\$ 3.43
ILA2-3	2 to 3	1-7/16"	1-1/8-12	6-1/2"	2.8	\$ 7.15

1015 N. Main St.—Osceola, Iowa 50213
 Phone: 641-342-2103 Fax: 641-342-3222
 On the Web at www.millerproductscs.com